

General Shipping and Offshore Terms – Norwegian Shipowners Association

Abandoned Well - An oil well where production has ceased.

Accommodation Unit/Floatel - Normally a semisubmersible or jackup (See Jackup), equipped with cabins, catering facilities and office space for up to 800 persons. The installation is normally used for the accommodation and catering for personell constructing or operating a fixed production platform. An accommodation unit may also be equipped with workshops and/or storage facilities.

Acid Gas - Gas with pollutants causing a low pH-value. Creates corrosion problems.

Acidizing - The injection of hydrochloric acid into the production zone in order to stimulate greater yield. The acid corrodes the sedimentary partitions, thereby increasing permeability.

Aerated Mud - Drilling mud mixed with oxygen to increase efficiency.

Aframax - American Freight Rate Association - appr. 80,000 - 105,000 dwt - term for a tank ship of standard size.

AG - Arabian Gulf - also called PG - Persian Gulf .

Agent or Ship's Agent - Person looking after the interests of a ship whiøe in port. Duties include organising pilotage, towage and berth for the ship, collecting freight and signing bills of lading.

Anchor Piling - Mooring point on the sea bed.

Anchorhandling Tug - AHT - Ship carrying out tasks such as the placing or moving of anchors, as well as towing drilling installations and barges etc. May double as a supply vessel and is in such cases termed *Anchorhandling Tug/Supply (AHTS)*.

Annular Blowout Preventer - Safety valve during drilling operations. Consists of rubber gasket stopping the flow of mud outside the drill string.

Annulus - The distance between the drill string and the casing or the wall of the drilling hole.

ARA - Antwerpen-Rotterdam-Amsterdam, often used as destination specification.

Arbitration - a method of settling disputes by one or more arbitrators. Quicker and cheaper than taking a case to court.

Articulated Platform or Oscillating Platform - An offshore structure fastened to the sea bed by means of an articulated hinge, stabilized by buoyancy elements near the surface. Usually used in connection with loading buoys and flare towers.

Ballast - Water carried instead of cargo in order to stabilize an empty ship.

Bareboat Charter-Party (Demise C/P) - Contract for the hire of an empty ship. All operating costs are covered by the charterer.

Bareboat -The hiring or leasing of a vessel from one company to another (the charterer), which provides crew, bunkers, stores etc., paying all operating costs.

Barrel - Measure for oil. There are 7.1 barrels of oil in one ton. Each barrel is approximately 159 litres.

Barrel - Volume measurement. Many abbreviations: b, bbl, bar. Sometimes written with capital letters. Barrels per day (Bd or b/d) specifies the production rate per day.

BBB - Before Breaking Bulk - Freight to be paid, i.e. the money deposited into the shipping company's account, prior to discharging.

Bell Diving - Carrying out diving within a diving vessel, shaped like a bell.

Benchmarking - To compare someone or something with the best that can be achieved within a specified field.

Bill of Lading (B/L)- Negotiable document issued by shipowner to shipper of goods. Contains terms and conditions of the contract.

Bit - Drill bit.

Block - Denotes an area awarded for test drilling or production. Block sizes may vary.

Blowout - Uncontrolled blow out of oil or gas due to excessive pressure in the reservoir.

Blowout Preventer - Also called "Christmas Tree", a safety valve placed on the well head.

BOP - Abbreviation for Blowout Preventer.

Box - Everyday term for container.

Break-Bulk Cargo - Goods shipped loose in the vessel's hold and not in container.

Bulk ship (bulk carrier) - Single deck ship carrying homogenous unpackaged cargoes. Loaded through large hatchways

Bulkcargo - Homogeneous dry cargo (not packaged), e.g. coal, grain, iron ore, etc.

Bulk-oil carrier - Multipurpose vessel built to carry cargoes of coal as well as oil. Most bulk-oil carriers are reinforced to carry ores and are called OBO-ship (ore/bulk/oil).

Bumper Sub - A tool, appr. 20 metres long, allowing a certain amount of vertical movement.

Bunkers - Ship's fuel. To take on fuel is called bunkering.

Bury Barge - Vessel especially equipped to bury oil and gas pipelines on the sea bed.

Cabotage - Coastal trade, i.e. the movement of goods by ship between ports on the same coast or between ports within the same country.

CAP - Condition Assessment Programme - inspection of a vessel to determine its technical condition.

Capesize - Vessel which is too large to navigate the Panama Canal - appr. 80,000 - 175,000 dwt with a beam of between 42 and 46 metres (the Panama Canal has a max. width of 32 metres), therefore being forced to voyage around the Cape Horn .

Capital intensive tonnage - Vessels demanding relatively large capital investments, e.g. cruiseships, gas- and chemical tankers, etc

CARIBS - Caribbean Sea

Casing - Pipe with thick walls placed in the drill hole and cemented in place. Prevents the hole from caving in

Cave-in - The walls of the drill hole disintegrating and filling up the hole.

Cellar Deck - The level beneath *Rotary Table* on a rig. On a jack-up this means the well-head and BOP. On a floating rig, it is the deck from which the guidelines are controlled. May also have a Marine Riser.

Charterer - Cargo owner or another person/company who hires a ship

Chartering - To hire a ship to carry goods/cargo.

Chartering agent - Shipbroker acting on behalf of charterer in negotiations leading to the chartering of a ship.

Charter-party - Transport contract between shipowner and shipper of goods.

Charter-Party (C/P) - Contract for the hire of a ship or space in a ship..

Chemical tanker - Special tanker built for the transportation of bulk chemicals. Newer tonnage is equipped with stainless steel tanks. Ships may carry many different cargoes simultaneously, because each tank has its own pump and pipeline system for loading and unloading

CIF - Short for Cost, Insurance, Freight. Designates that the cargo is carried free of charge for the buyer; seller pays all transportation costs.

Civil Liability Convention - CLC - see Oil spill compensation

Classification society - Organisation which carries out surveys of newbuildings and at regular intervals when in commission, setting and maintaining quality standards for ships and their equipment. Acts on behalf of the flag state's maritime authorities

COA - See Contract of Affreightment

Collar - A thick piece of pipe closest to the bit.

Combination carrier - Ships for the transportation of both liquid and dry bulkcargoes. There are two main types: Ore carriers and bulk-tank-ships.

Commision - Shipbroker's remuneration, normally 1.25 per cent of gross freight. Calculated also for sales and purchases of vessels at one per cent of purchase price.

Completion - Making the hole ready for production.

Conductor Pipe - I.e casing with large diameter - normally the first first lining or guide pipe fitted during the drilling operation.

Conference - Organization of a group of lines operating in one trade where the companies agree to use a common tariff. See also Liner Conference.

Container vessel - Ship specially designed to carry standard containers (TEUs). Generally called *Cellular container ship*. The larger part of the cargo-carrying capacity consists of containers carried on deck or in cells in the hold. Containers are lifted on and off with special cranes and are then called lift on-lift off-ships (see special entry). Container ships are generally fast, operating regular sailing schedules (lines).

Contract of Affreightment, c.o.a. - Contract for the hire of a ship. The shipowner undertakes the transport of certain amounts of goods for one or several voyages. A COA is a quantity contract, i.e. an agreement between shipowner and shipper concerning the freight of a defined cargo. The shipowner chooses the ship

Crane and Construction Vessel/Unit - Normally a ship, a barge or a semisubmersible, equipped for the construction and maintenance of fixed installations. May sometimes offer accommodation. Other services offered are: Storage facilities, the supply of water, compressed air and electricity, office space, communications centre, helicopter landing pad, etc.

Cross Trade - The freight of cargoes between foreign ports. Appr. 95 per cent of the Norwegian-owned tonnage is cross-trading.

Crude (oil) - Un-refined oil directly from the well.

Cruise ship - Passenger vessel carrying passengers on trips between various ports, normally with the same starting and ending port. Standards of accommodation and recreation normally high.

Cubic capacity - The most important commercial measurement when the cargo is so lightweight that the ship is filled to capacity without being loaded to the load line (freeboard). Capacity is measured in cubic metres or cubic feet (cu.ft.).

Dead Freight - Money payable by shipper or charterer to shipowner or shipping line for failing to load the amount of cargo stipulated in contract.

Deadweight - The largest weight of cargo, bunkers and stores a ship is able to carry. Expressed in metric tons (1,000 kg) or long tons (1,016 kg). The deadweight tonnage is the most important commercial measurement. Normally the maximum payload for a ship is three to ten per cent lower than the deadweight, due to the weight of bunkers and stores, etc.

Decompression - Slow, controlled reduction of pressure inside a pressure chamber to prevent divers from suffering the "bends" after a too fast ascent.

Degassing - The removal of oil and gas from the drilling mud which may then be used again.

Dehydration Plant - or **Water Separation Plant** - Various types of equipment for the "drying" of gas or oil.

Demurrage - Money paid to shipowner by charterer, shipper or receiver, for failing to complete loading/discharging within time allowed according to charter-party.

Derrick Man - Platform worker handling the drill stem in the tower.

Deviated Well - A hole which intentionally is not drilled straight down.

Diamond Bit - The tip of the drill stem reinforced with diamond to prolong its lifetime.

Dip Meter - An instrument to measure deviations in the vertical component in the terrestrial magnetic field. Used to determine the position of the sediment and its structure, and to measure the deviation of the drilling hole.

Directional Drilling - see Deviated Well.

Dispatch - Remuneration payable by shipowner to charterer, shipper or receiver for loading/discharging in less than the time allowed according to charter-party.

Disposal Well - Drilling hole which is prepared for the re-injection of produced saline into the reservoirs.

Diving Bell - Bellshaped construction for deepsea diving.

Diving Support Vessel - Ship with diving equipment on board, carrying out various types of diving operations. May also be equipped with remotely operated or controlled sub-sea robots (Remote Operated Vehicle - ROV).

Donald Duck-effekt - Voice distortion due to the inhalation of the oxygen-helium mixture used in deepsea diving.

Drag Bit - One-bladed drillbit for drilling in soft sediments.

Drift - Horizontal error during drilling operations.

Drill Pipe - Pipes with thin walls used during drilling. Each section is normally approximately 10 metres long.

Drill Stem - The string driving the bit into the sediments.

Drill Stem Test - Standard procedure to test oil or gas discoveries during drilling.

Drill String - see Drill Stem.

Driller - The person in charge during drilling operations

Drilling Barge - Barge equipped for drilling operations in smooth seas. Normally not equipped with own propulsion machinery. Max. drilling depth appr. 150 metres.

Drilling Fluid, Drilling Mud - A special mixture used during drilling operations to lubricate the bit and balance the pressure in the drilling hole.

Drilling Rig - ***Drilling tower with turntable and mudpumping system. May be installed on an offshore rig or placed on a fixed or floating offshore installation like a drillship.

Drilling Supervisor - the engineer in charge.

Drilling Tender - service vessel with personnel and equipment to the drilling rig

Drilling Tender - Ship serving drilling installations which are depending on a ship or a barge for storage, accommodation, etc.

Drillship - ship equipped with drilling rig and its own propulsion machinery. Kept in position by Dynamic Positioning Equipment. Operating in waters with a max. depth of 2,000 metres.

Drillship - vessel carrying out drilling operations.

Dry cargo - grain, coal, ore, general cargo, etc.

Dynamic positioning - keeping the ship's position with the help of automatically controlled propellers.

ECSA - East Coast South America

Exploration Well - hole drilled during the search for new oil reserves.

Feeder Vessel - a short-sea vessel used to fetch and carry goods and containers to and from deep sea vessels.

FEU - Forty-foot Equivalent Unit (same as two TEU).

FiO - short for Free in and Out - charterer pays for loading/discharging.

Fish - object, e.g. a fragment of a drill bit, broken drill pipe, or other object lodged at the bottom of the drilling hole, preventing continued drilling.

Fishing - the work of removing a Fish.

Fixture - successful conclusion of negotiations between shipowner and charterer, normally with the aid of a shipbroker.

Flag discrimination - national legislation reserving cargo for own ships.

Flag of convenience (FOC) - term used by labour organisations about countries allowing unlimited registration of foreign-owned ships in order to achieve low wage levels and low or no taxation payable to the flagstate. Some FOC- flagstates had previously very lax control routines, or no control at all, concerning the vessels' technical standard and their seaworthiness.

Flaring - the burning of non-commercial oil and gas on the production platform or vessel.

Flexible Joint - or **Ball-joint** - the bottom part of the Marine Riser construction, utilized during drilling from floating rig or vessel. Allows a certain angle deviation when the vessel or rig is positioned.

Flo-flo-ship - special ship which may be submerged to allow the floating on or off of cargo, i.e. jack-up platforms which may be carried "piggy-back"-fashion on a flo-flo-ship.

Flush Phase - the initial production phase.

FOB - short for Free on Board - seller is responsible for delivering cargo to the port, paying also for the loading.

Force Majeure - a clause limiting responsibility for charterer, shipper or receiver of cargo.

FPSO - Floating Production, Storage and Offloading Unit

FPSO - Floating Production, Storage and Offloading Unit.

Free pratique - Ship inspected and cleared by the health authorities of a country.

Fund Convention - see Oil spill compensation

Gas Lift - the technique of mixing gas into the oil flow in order to enhance the flow.

Gas Oil Ratio - the ratio between the produced gas in cubic feet, and the oil measured in barrels.

Gas Re-Injection - *Secondary Recovery Technique* with the re-injection of "dried" and condensate-free gas to maintain pressure in the reservoir.

Gas tanker - special ship for the transportation of condensed (liquid) gases. The most important cargoes are:

- LNG - Liquefied Natural Gas (mostly methane).
- LPG - Liquefied Petroleum Gas (propane, butane).
- Ammonia.
- Ethylene.

On board, gases are kept liquid with highly effective insulation (thermosbottle-principle), by high pressure or by low temperature. LNG-ships must be able to carry cargoes with temperatures as low as -163°C.

Gas Well - the discovery of hydrocarbons with a high Gas Oil Ratio.

General cargo - goods unpackaged or packaged, but not shipped in bulk.

Geological Survey - detailed investigation for structure and type of sediment.

GEOROT - Geographical Rotation - sequence in which ship calls at ports on her itinerary.

Gooseneck - curved section of pipeline where the drill mud reaches the flexible hosepipe for further transportation to the swivel.

Grain Cap - short for Grain Capacity - a ship's grain-carrying capacity.

Gravity Structure - platform firmly placed on the seabed without any special fastenings due to its high specific gravity. Several gravity structures have been installed in deep parts of the North Sea .

Gross Tonnage and Net Tonnage The *Ship Measurement Convention* of 1969 has been in force for new tonnage since 1984, and was made mandatory for all vessels from 18. July 1994. This means a transition from the terms gross register tons (grt) and net register tons (nrt) to gross tons (GT) and net tons (NT). The gross tonnage forms the basis for manning regulations, safety rules and registration fees. Both gross and net tonnages are used to calculate port dues. BT is the vessel's enclosed spaces, while NT is the volume of a vessel's cargo holds.

Gross Tonnage $GT = (0.2 + 0.02 \cdot \log_{10} V) \cdot V$, where V is the volume in cubic metres of all enclosed spaces on board.

Handymax - Dry bulk vessel of appr. 35,000 - 50,000 dwt.

Handysize - Dry bulk vessel or product tanker, 15,000 - 50,000 dwt.

HBL - Hydrostatically Balanced Loading - balancing oil and water pressure preventing oil leaks in case of grounding. HBL reduces the cargo carrying capacity by appr. 7 per cent.

Heavy Grain - grain filling the ship to full deadweight capacity.

Hire-purchase Charter-Party - C/P where the charterer gets ownership of the vessel at the conclusion of the C/P.

HSLC - High Speed Light Craft

HSS - Highspeed Sea Service - fast ferry concept with double- or multihulled vessels with carrying capacity of up to 1500 passengers and around 400 cars.

Injection Well - hole drilled to inject water or gas into the reservoir in order to maintain pressure. Also called *Service Well*.

Inside Preventer - a type of BOP which is installed on the drill stem.

Instrument Pig - an apparatus with various measuring instruments placed inside the pipeline. Transported along with the oilflow

Intermodal transport - carriage of goods employing various modes of transport, i.e. sea/land, rail/sea, etc., between sender and receiver. Also called **Multimodal Transport**.

Itinerary - list of a ship's ports of call.

Jacket - the lower part of the production system from the seabed to the lower deck module.

Jackup - Movable installation consisting of a large deck with legs which may be jacked up. During operation, the legs are resting on the seabed, and the vessel "jacked up", leaving the deck in secure position high above the surface of the sea. When moved, the legs are retracted and the installation floats. Usually not equipped with own propulsion machinery. (Max. water depths 110 to 120 metres.) Normally used as a drilling rig.

Jet Nozzle Bit - a type of drill bit.

Joint service - two or more shipping companies jointly operating a service.

Kelly - the upper square or hexagonal part of the drill stem.

Kick - a sudden increase in the drill mud pressure from below. A kick may in extreme cases develop into a **Blow-out**.

Kill - the increase of the counterpressure in the well, e.g. achieved by using mud with higher specific gravity.

Knot - measure of speed for ships, i.e. one nautical mile (1,852 metres) per hour.

Kommandittselskap (K/S) - limited partnership. A form of shipfinancing.

KTM - Keel to Top of Mast - the height from the keel to the highest point of a ship, normally the top of the mast

kWT - the main machinery's break-kW + the vessel's gross tonnage (GT) according to the vessel's papers. Used by the NSA when calculating wage levels.

Lanemetre - used particularly in connection with the transportation of trailers. One lanemetre is one metre of deck, with a width of 2.5 to 3.0 metres. The capacity of ships built for the transportation of new automobiles is normally expressed by the number of cars carried, or by the area of deckspace, in square metres.

LASH-fartøy - Lighter Aboard Ship, i.e ships which can carry lighters piggy-back fashion.

Lay Barge or Pipe Laying Barge - vessel laying pipelines on the seabed.

Lay-up - ships are laid-up when rates are too low for profitable trading. Laid-up vessels are moored or anchored with a minimum watch crew on board.

Leasing - when a ship is leased, the owner may in fact utilize it as in a bareboat or hire-purchase-C/P, but without entering into a charter-party-contract. The price is agreed between the shipping company (lessee) and the vessel's legal owner - the leasing company (lessor). The agreed fee will normally give the lessor a return on the investment with a profit during the leasing period. When the agreed period expires, the lessee may extend the leasing, but at a reduced fee (e.g. 1/12 of previous fee), or purchase the vessel at its estimated value

Liner conference - two or more shipping companies operating a service in common between designated areas. Conference partners agree special freight rates and terms for the trade, in order to stabilize market and service.

Liner - vessel serving a regular defined route or trade, following a published sailing schedule.

Liner Pipe - casing which does not reach quite up to the well-head.

Liner service - cargoships operating regular schedules between advertised ports.

LOF - Lloyd's Open form - standardized salvage contract. Current version is called LOF-90.

Lo-lo-ship - Lift on-lift off-ship. Containers or other goods are lifted on board and ashore by cranes.

Management Company - A company (often third party) assuming responsibility for the operation and administration of a vessel, i.e. crewing, technical operations and maintenance.

Manifest - list of all cargo on board (Cargo Manifest). Term used also for passenger list on cruise vessels, passenger ferries, etc

Marine Riser - large diameter casing, consisting of many pipe sections coupled together, normally with floating elements on the outside. Installed between the Marine BOP and the drilling rig.

Maritime inquiry - an inquiry conducted by maritime and legal authorities following an accident or near-accident at sea, resulting in a maritime declaration. The purpose of such hearings is to uncover the cause of accident or mishap. The inquiry is primarily conducted between members of the crew, but may also involve bystanders who may shed light on the events. The maritime inquiry serves three purposes according to Norwegian maritime law:

- Enable maritime authorities to consider amending or improving existing rules and regulations in order to prevent similar accidents.
- Determine whether or not someone should be prosecuted for criminal neglect or breach of rules.
- Uncover liabilities in connection with insurance claims.

MED - Mediterranean Sea

Merger - the joining of two or more (shipowning) companies.

MOLOO - More or less owner's option - a margin which the shipowner has for the amount of cargo a vessel should carry. I.e. "30,000 tons 5 per cent moloo" means that the vessel can load between 28,500 and 31,500 tons.

Monkey Board - platform in the drilling tower where the Derrick Man is handling the drill stem.

Monopod - type of rig where the foundation consists of a cylindrical stem from the seabed to the surface.

Motion Compensator - equalizes level variations during drilling from floating rigs or cranes.

Mousehole - hole in the Derrick platform where the next section of drill stem is placed awaiting being coupled to the drill stem.

Mud - drill mud.

Mud Line - the sea bed, the borderline between the water and solid sediments

Mud Pit - tank containing the drill mud.

Mud Weight - the weight of the drill mud in pounds per gallon. Light mud: 8 pounds/gln; heavy mud: 14 pounds/gln.

Multipurpose ship - general cargo ship which can also carry containers.

NEOBIG - Not east of but including Greece

Net Tonnage NT = $(0.2+0.02 \cdot \log_{10}(V_c)) \cdot V_c \cdot (4 \cdot d)^2$, for passenger ships the

3D

following formula is added: $1.25 \cdot (GT+10000) \cdot (N_1+N_2)$, 10000

10 where V_c is the volume of the cargo holds, D is the distance between the ship's bottom and the uppermost deck, d is the draught, N_1 is the number of cabin passengers, and N_2 is the number of deck passengers.

NOKUS-company (NOrsk-Kontrollert Utenlandsk Selskap i lavskatteland - Norwegian Controlled Foreign Company in Low-tax Country) - company established in a country where corporate taxes are less than two thirds of Norwegian corporate tax, and Norwegian interests own or control minimum 50 per cent of the shares. Norwegian participants in such companies are taxed in Norway for their share of profits (§7 in Norwegian Tax Law).

OBO-carrier -vessel built for the carriage of diversified bulkcargoes (i.e. Oil/Bulk/Ore).

Offshore activities - for shipowning companies, O.A. include activities connected with the exploration for, development of and operation of oil and gas fields at sea. Most important are: Collecting seismic data, test drilling, field development, towing and anchor handling, the supply service, transportation of equipment and modules, heavylifts, diving operations and underwater work, the use of ROVs, pipelaying, operation of floatels and construction jobs. Salvage and rescue operations are also important aspects of this. The loading of oil

tankers offshore by means of buoys or fixtures on the seabed, is still another feature of Norwegian offshore activities.

Offshore service vessels - common term for specialized vessels used during the exploration, development and production phases of oil and gas finds at sea.

Oil spill compensation - compensation for oil spills is internationally regulated by two conventions - The Civil Liability Convention - CLC - (i.e. *International Convention on Civil Liability for Oil Pollution Damage - 1969*) regulating the shipowners' liability, and The Fund Convention (i.e. *International Convention on the Establishment of an International Fund for Oil Pollution Damage, 1971*), with a fund financed by the cargo owners (oil companies) paying compensation if the shipowner cannot be held responsible, or if compensation paid is not adequate, with a maximum limitation clause.

Oil String - the last section of the drill pipe to be cemented in place. Also called *Inner Conductor* or *Production Casing*.

Oil-tanker - ship carrying crude oil or refined products. If a ship is equipped to carry several types of cargo simultaneously, the ship type is called *Parcel tanker*. A *shuttle tanker* is a tanker carrying oil from offshore oil fields to terminals. An oil tanker especially built for the transportation of refined oil products, often with tanks painted or coated on the inside, is called a *product carrier*.

On Stream - the phase where the oil/gas production is started through the main pipe.

OPA-90 - The Oil Pollution Act of 1990, a US law imposing far-reaching requirements on shipowners, vessels and crews when carrying petroleum products to the US and within the US Economic Zone (200 miles off the coastline). Introduced after the *Exxon Valdez*-catastrophe in Alaska in 1989.

Ore/oil carrier - ship with separate cargo holds for ore cargoes. When the ship is carrying oil, the ore holds may also be filled with oil, in order to utilize the deadweight capacity to the fullest.

Panmax or Panamax - the largest bulk carrier which can pass through the Panama Canal fully loaded (appr. 80,000 dwt.).

Parcel tanker - see Oil-tanker

Pax - abbreviation for passenger(s). Used in cruiseshipping and on passenger ferries.

Pay Zone - the part of the reservoir which may be exploited economically.

Penetration Rate - the drill bit's speed through the sediments.

Permeability - the sediment's ability to let hydrocarbons pass through.

Pipe-Laying Barge or Lay Barge - vessel constructed for the laying of pipes on the sea bed.

Pooling - cargo or profit sharing by cooperating companies in lines or liner conferences.

Primary Recovery - the initial extraction phase when the oil/gas is emitted naturally from the reservoir

Product carrier see Oil-tanker

Production Ship - specialized ship pumping oil through flexible pipelines from the seabed. (See Production platform.)

Production Unit - platform equipped for the production of oil and gas.

Protectionism - flag state protection of own shipping by the elimination of certain competitive elements (see also Flag discrimination).

Rate - the offered/agreed price for the transportation of goods..

Ratio between Gross Tonnage/Net Tonnage/Deadweight - approximate conversion figures:

1 NT = 1.7 GT

1 GT = 1.5 dwt.

These figures are applicable for tankers and dry cargo vessel up to appr. 25,000 dwt., but not for reefers, ro-ro-ships, passenger ships, etc. For large tank- and bulkships (appr. 100,000 dwt. and above) 1 GT is approximately 2 dwt.

Reefer Vessel - vessel with refrigerated cargo hold(s).

Register ton - old term for the measuring of ships, not to be used anymore. (One register ton is 100 cubic feet (2.93 cubic metres)).

Ro-ro-ship (Roll on - Roll off) - The cargo is driven on board and ashore, either by means of own engine (cars/trailers), or by means of special trucks. There are three main areas:

Ro-ro-ship for the transportation of new automobiles (specialised: Pure Car Carrier - PCC), may also carry other rolling cargo.

Ro-ro-ship operating in lines carries containers, pallets, flats or general cargo, and any type of cargo that can be driven on board.

Ro-ro-ferries carrying a combination of rolling cargo (cars/lorries/trailers) and passengers.

Roughneck - worker in the oil and gas industry.

SAR - Search and Rescue

SBT - Segregated Ballast Tanks - tanks in a tanker solely used for ballast.

SDR - Special drawing rights

Seismic ship - vessel mapping geological structures in the seabed by firing air guns transmitting sound waves into the bottom of the sea. The echo of the shot is captured by listening devices/hydrophones) being towed behind the vessel. A seismic ship provides data which is an intrinsic part of the material determining if and when a test drilling should be initiated.

Semisubmersible - movable installation consisting of a deck on stilts, fastened to two or more pontoons. When in operation, the pontoons are filled with water and lowered beneath the surface. The installation is normally kept in position by a number of anchors, but may also be fitted with dynamic positioning equipment (DPE). Usually fitted with own propulsion machinery (max water depths 600 - 800 metres).

Shelterdeck - a deck above the vessel's main deck not included in the gross tonnage. Originally a lightweight structure to shelter the cargo on the main deck from adverse weather conditions. A closed shelterdecker is constructed to allow access through the hatches to the 'tweendeck, taking cargo on one or both levels.

Shipbroker - person who - on behalf of shipowner/shipper - negotiates a deal for the transportation of cargo at an agreed price. Shipbrokers are also active when shipping companies negotiate the purchasing and selling of ships, both secondhand tonnage and newbuilding contracts.

Short Sea Shipping - short distance international trade. Commonly used for trading between countries in the European Union.

Shuttle tanker (Buoy-loader - see Oil tanker)

Slop chest - goods stocked by the Chief Steward or Purser, sold for private use or consumption by the crew.

Spotrate - rate for single voyage based on the market situation on the day.

Stand-by Vessel - ship permanently stationed in the vicinity of an installation with the task of evacuating the rig-crew in an emergency. Also carrying out guard duty keeping other ships away from the installation.

Stevedore - Dockworker handling loading/discharging. Term also used on companies delivering such services.

Submersible - movable installation constructed for drilling operations in shallow waters, where it is lowered until it rests on the seabed (max. water depth 30 - 40 metres).

Subsidiarity principle - EU-rule that decisions should be taken on the lowest possible level, e.g. that any case should be decided nationally.

Suezmax - the largest tank vessel which can pass through the Suez Canal fully loaded (120,000 -165,000 dwt.).

Supercargo - person employed by shipowner or shipping company/charterer of a ship or a shipper of goods to supervise cargo handling operations. Sometimes called Superintendent. The Supercargo was formerly enlisted as a crew member; now stationed in ports.

Supply ship - vessel transporting stores and equipment to drilling rigs or installations being built or in the production phase. Often called Straight Supply, or Platform Supply Vessel (PSV).

SWATH - Small Waterplane Area Twin Hull - fast and economical hull design, primarily used for highspeed ferries, etc.

Tallyman - controls the cargo going into and out of the vessel. Checks that volume and number tallies with the manifests.

T/c-trip - the ship is hired for one voyage, but under T/C terms.

Tanker - ship carrying liquid bulk cargoes.

Tension Leg Platform - floating platform or loading buoy fastened to the seabed with vertical chains or stays etc. , kept in position by its own buoyancy.

TEU - Twenty-foot Equivalent Unit. The container carrying capacity of a vessel, expressed in the number of TEUs it can load (standard containers of 20x8x8 feet).

Time-Charter (T/C) - the hiring of a vessel for a specified period of time.

Tonkilometre - the transportation of one ton cargo over a distance of one kilometre.

Toolpusher - foreman on a drilling rig.

Tramp shipping - ships trading where they can get cargo.

Trunk Line - the main oil pipeline.

UK/CONT B/H - United Kingdom/Continent Bordeaux/Hamburg range

ULCC - Ultra Large Crude Carrier - oil tanker of 300,000 + dwt.

Umbilical - actually the "umbilical cord" - lifeline with air, hot water and other necessities connecting diver/diving bell with the mother ship or rig.

USAC - United States Atlantic Coast

USG - United States Gulf (of Mexico)

USNH - United States North of Hatteras

USWC - United States West Coast

VLCC - Very Large Crude Carrier - oil tanker between 200,000 and 300,000 dwt.

Voyage-Charter - contract of carriage where the charterer pays for the use of the vessel's cargo spaces for one or more voyages. Payment is calculated per ton goods carried. The owner pays all operating costs.

Water Drive - an important task to maintain pressure in the reservoir.

Water Separation Plant - see Dehydration Plant

Wax - paraffin wax which may cause production problems if condensed in production pipelines or in the valves.

WCSA - West Coast South America

Well-Head - heavy and strong construction installed on the surface string or conductor pipe as foundation for further pressure regulating equipment.

Wildcatting - speculative well drilling.

Workover - programme for actions to increase/stimulate production from a well.

Worldscale (W, WS) - in the tanker segment of shipping, nearly all trip-chartering is done on the basis of the freight-rate system Worldscale, which is a method of calculation of payment for the transport of oil by ships, for

one or consecutive voyages. **Worldscale** is a table giving the amount of dollars per ton oil for each of a number of standard routes.

The rates listed in the table - the so-called flat rates - are termed **Worldscale 100 (W100)**. Large tankers need a lower W than smaller vessels to make a profit. The flat rate is the rate per ton which gives a standard vessel (at the present a 75,000 dwt. tanker) earnings of USD 12,000 per day on a T/C-basis for the stipulated voyage. If the flat rate is USD 10.- per metric ton, the rate level at W50 will be 50 per cent of the base rate at W100, i.e. USD 5.00 per ton. The flat rate W100 should make a profit for the "standard vessel", regardless of the voyage for which the ship is chartered.

Worldscale is revised annually, and the calculations include both fixed and variable expenses. The purpose of the **Worldscale** is to enable both owner and charterer to compare easily the returns on alternative voyages.

Abbreviations

ABS - American Bureau of Shipping - American classification society.

ACOT - Advisory Committee on Offshore Technology

ACP - Area Contingency Plan

ADB - African/Asian Development Bank.

AFRA Average Freight Rate Assessment - average costs for the freight of oil with tankships. Calculated by the **Worldscale Association** in London . based on an ongoing registration of all freight rates at particular points in time.

AFRASEC - Afro-Asian Organization for Economic Cooperation.

AFTA - Asean Free Trade Area (See ASEAN).

AHT - Anchorhandling Tug - vessel employed in the offshore field moving anchors and performing towing operations.

AHTS - AHT which is also a combined supply vessel.

AID - Agency for International Development - US organization for civilian aid programmes.

AIMS - American Institute of Merchant Shipping - the American shipowners' association for the major part of the privately owned tonnage.

ALADI - Latin-American Integration Association (11 members).

ALAMAR - Asociación Latinoamericana de Armadores - Latin-American shipowners' Association (established in March 1963).

ALU-TUCP - Philippine Seafarers' Union, member of TUCP (Trade Union Council of the Philippines)

AMOSUP - Associated Marine Officers' and Seamen's Union of the Philippines - Filipino union for officers and crew.

AMVER - Automatic Mutual-Assistance Vessel Rescue System - American warning system for international shipping.

ANDES' Pact - Customs and tariffs union between Venezuela, Colombia, Ecuador, Peru and Bolivia with common external customs' tariffs.

AODC - Association of Offshore Diving Contractors

APEC - Asia-Pacific Economic Cooperation (18 members).

ASEAN - Association of South East Asian Nations - Indonesia , Malaysia , the Philippines , Singapore .

ASEM - Summit Meeting between Asian and European nations.

ASF - Asian Shipowners' Forum - shipowners' association for East Asia and Oceania .

ASO - Arbeidsgiverforeningen for Skip og Offshorefartøyer - The Employers' Organization for Ships and Offshore Installations (Oslo).

AWES - Association of Western European Shipbuilders

B

BEI - Banque Européenne d'Investissement - The European Investment Bank

BFI - Baltic Freight Index - an index for bulk freight rates.

BIAC - Business and Industry Advisory Committee - OECD's advisory committee. Opposite to TUAC.

BICC - Bureau International des Chambres de Commerce - International information bureau for Chambers of Commerce.

BIFA - British International Freight Association

BIFFEX - Baltic International Freight Futures Exchange (London) - an exchange for the buying and selling of futures, based on the BFI.

BIMCO - The Baltic and International Maritime Council (Copenhagen).

BIS - Bank for International Settlements, Basel .

BISCO - British Iron and Steel Corporation

BOSVA - British Offshore Supply Ships Association

BOTB - British Overseas Trade Board (London)

BROA - British Rigowners' Association

BSC - British Shippers Council

BSI - British Standards Institution

BV - Bureau Veritas - French classification society.

C

CAACE - Comité des Associations d'Armateurs de la Communauté Européenne, Brussels - organization for shipping companies from the EU

CACM - Central American Common Market

CAJEA - Council of All Japanese Exporters' Association

CARICOM - CARibbean Community.

CASO - Council of American-flag Ship Operators (eight liner companies which left the AIMS)

CBA - Collective Bargaining Agreement (tariff agreement) - CBA for Filipino seamen between AMOSUP and ASO is an example. The term is used for any kind of tariff agreement, both for NIS-ships and foreignflagged ships.

CCA - Chemical Carriers Association

CCAF - Comité des Armateurs de France - the French shipowners' association.

CCC - Customs Co-operation Council - forum for international cooperation between customs authorities, attempting to create harmony and uniformity of approach.

CE - Conseil de l'Europe, Strasbourg

C&E - Customs and Excise - British Department for Tariffs and Customs

CEFOR - Maritime insurers central association.

CEMT - Conférence Européenne des Ministres des Transports - OECD-affiliated organization for dealing with transportation problems on rails, roads and inland waterways.

CEN - European Standardization Organization.

CENSA - Council of European and Japanese National Shipowners' Associations (London)

CIS - Commonwealth of Independant States

CLC - Civil Liability Convention of 1969.

CMI - Comité Maritime International - the international association for maritime law

COFR - Certificate of Financial Responsibility - regarding the transport of oil to USA . Vessels must have a certificate guaranteeing the payment of up to USD 1,500 per dwt. in case of oil spills.

COGSA - Carriage of Goods by Sea Act (USA).

COTTON CLUB - informal forum for Western European and Japanese shipping attachées in Washington .

CRISTAL - Contract Regarding a Supplement to Tanker Liability for Oil Pollution - a voluntary system established by oil companies in order to "plug" holes in IMO-conventions concerning the financial settlement of claims in connection with oil spills. The oil companies' supplement to TOVALOP.

CSC - Container Safety Convention - convention for the promotion of safer containers.

CSG - Consultative Shipping Group - forum for the discussion of shipping policy on Government level. Fourteen West-European participants and Japan .

D

DIS - Dansk Internationalt Skibsregister - Danish International Shipregister.

DG - Directorate General - the term used for the various departments of the EU-Commission.

DNME - Dynamic Non-Member Economies (referring to dynamic countries which are not members of the OECD)

DNMF - Det norske maskinistforbund - the Norwegian association for ships' engineers

DNV - Det Norske Veritas (NV) - Norwegian classification society.

DoT - Department of Transportation (UK)

DoTI - Department of Trade and Industry , UK

DR - Danmarks Rederiforening - the Danish shipowners' association

DSO - De samarbeidende organisasjoner - cooperation between DNMF and NS for mobile offshore installations (Norway)

DSRK - Deutsche Schiffs Revision und Klassifikation - German classification society.

E

EBRD - European Bank for Reconstruction and Development

ECE - Economic Commission for Europe, Geneva (UN)

ECJ - European Court of Justice (EU).

ECLA - Economic Commission for Latin America, UN-body under ECOSOC

ECMT - European Conference of Ministers of Transport

ECOSOC - Economical and Social Council of the United Nations, New York - UN's main body for economic questions. The regional commissions - ECLA, ESCAP, ECA, etc. - answer to ECOSOC.

ECSA - European Community Shipowners' Association (Brussel)

ECSC - European Coal and Steel Community

ECU - European Currency Units. A financial unit used for EU accounting.

EEA - European Economic Area.

EFTA - European Free Trade Association of Non-common Markets Countries. Noe termed Rest-EFTA, comprising Norway, Liechtenstein, Luxembourg and Iceland .

EIB - European Investment Bank

ELA - Euzko Langilleen Alkartasuna - Spanish-Basque trade union.

EMA - European Monetary Agreement.

EMAS - Eco-Management and Audit Scheme

EMIF - European Maritime Industries Forum

EMU - Economic Monetary Union .

E&P FORUM - The Oil Industry International Exploration and Production Forum (London). Statoil, Norsk Hydro and Saga Petroleum are full Norwegian members, while OLF is associated member.

ESA - EFTA Surveillance Authority.

ESC - European Shippers' Council, Hague

ESCAPE - Economic and Social Commission ofr Asia and South Pacific - under ECOSOC.

EU - The European Union.

EUROS - Planned shipregister in the EU.

EXIMBANK - Export-Import Bank of the United States to promote American exports.

E

FACS - Federation of American Controlled Shipping - organization for US companies with ships under FOC, mainly the Liberian.

FAO - UN's Food and Agriculture Organization, Rome

FASA - Federation of Asian Shipowners' Associations

FENSO - Federation of Norwegian Ships Officers organizations (NMB in Norwegian)

FIATA - Federation Internationale des Associations de Transitaires et Assimiles (Zurich) - International association of forwarding agents.

FMC - Federal Maritime Commission - American independent control authority regulating liner services to the USA .

FOC - Flag of Convenience

FONASABA - Federation of National Associations of Shipbrokers and Agents

FR - Finlands Rederiförening - the Finnish Shipowners' Association.

G

GATS - General Agreement on Trade in Services - part of GATT - concerns trading in services, incl. shipping.

GATT - General Agreement on Tariffs and Trade (Genève).

GCBS - General Council of British Shipping - the amalgamation of the former BSF - British Shipping Federation - and the UK Chamber of Shipping, established 1976.

GIS - German International Shipregister

GL - Germanischer Lloyd - German classification society.

GMDSS - Global Maritime Distress and Safety System

GBS - Gravity Base Structure

H

HR - Hellenic Register of Shipping - Greek classification society.

I

IACS - International Association of Classification Societies

IADC - International Association of Drilling Contractors (Houston/Amsterdam)

IAPH - International Association of Ports and Harbours.

IBIA - International Bunker Industry Association (Kingston on Thames).

IBRD - International Bank for Reconstruction and Development, Washington - the World Bank.

ICC - International Chamber of Commerce

ICFTU - International Confederation of Free Trade Unions

ICHCA - International Cargo Handling Co-ordination Association (London)

ICOTAS - International Committee on the Organization of Traffic at Sea (London)

ICPL - International Committee on Passenger Lines (for the CENSA-countries).

ICS - International Chamber of Shipping (London)

IFC - International Finance Corporation

IFSMA - International Federation of ShipMasters Association (London)

ILA - International Law Association

ILO - UN's International Labour Organization (Genève)

IMB - International Maritime Bureau - bureau established by the ICC to combat fraud in the shipping industry.

IMDG - International Maritime Dangerous Goods Code - rules for the labelling of dangerous goods at sea.

IMEC - International Maritime Employers' Committee

IMIF - International Maritime Industry Forum - a forum for banks and shipbuilders with the purpose of solving problems in connection with surplus tanker tonnage.

IMO - International Maritime Organization (London) - UN's maritime authority.

IMPA - International Pilots' Association

IMU - International Maritime Union (Latin-American seamen's union with US affiliations)

INMARSAT - International Maritime Satellite Organization (London)

INSROP - International Northern Sea Route Programme - comprehensive, multi-national, multi-disciplinary five-year research programme investigating commercial navigation through the North-East Passage.

INTERCARGO - International Association of Dry Cargo Shipowners (London) - Opposite number to INTERTANKO.

INTERTANKO - International Association of Independent Tanker Owners (Oslo)

IOE - International Organization of Employers

IOPC - International Oil Pollution Compensation Fund

IOPP - International Oil Pollution Prevention Certificate

ISF - Indian Seafarers' Federations

ISF - International Shipping Federation (London) - cooperation of maritime employers' associations

ISM- International Safety Management Code

ISMA - International Ship Managers' Association

ISO - International Standards Organization (London)

ISOA - International Support Vessels Owners' Association (London)

ISU - International Salvage Union

ITF - International Transport Workers' Federation (London)

ITOPF - International Tanker Owners Pollution Federation Ltd. (London) - manages TOVALOP and cooperates closely with CRISTAL.

ITS - International Tanker Service - planned cooperation in the market between independent tanker owners.

IWA - International Wheat Agreement

J

JR - Yugoslav Register - Yugoslav classification society.

K

KFK - Koordinerende forskningskomité, Norway - Coordinating Research Committee

KPI - Kesatuan Pelant Indonesia - Indonesian seamen's union

K

LAFTA - Latin America Free Trade Association

LLMC - International Convention of Limitation of Liability for Maritime Claims

LOF'90 - Lloyd's Open Form 1990 - standard form of salvage agreement.

LR - Lloyd's Register of Shipping - British classification society.

M

MARAD - Maritime Administration, USA - authority under the US department for Trade. Handles subsidies etc. to American shipyards and shipping companies.

MARINTEK - Norsk Marinteknisk Forskningsinstitutt A/S, Trondheim - Norwegian maritime research institution.

MARPOL - International Convention for the Prevention of Pollution from ships (London)

MEIF - Mandatory Excess Insurance Facility - Norwegian-Swedish-Greek proposal to solve the COFR-question.

MEPC - Maritime Environment Protection Committee (IMO, London).

MERCOSUR - Regional political trade organisation comprising Brazil, Argentina, Paraguay and Uruguay .

MITS - Maritim information technology.

MSC - Maritime Safety Committee (IMO, London)

MTC - Maritime Transport Committee (OECD)

MUI - Maritime Union of Indian Officers

N

NAFTA - North-American Free Trade Agreement

NASCO - Norwegian Asian Seafarers' Conference

NATO - North-Atlantic Treaty Organization - Western defence alliance

NCP - National Contingency Plan

NFD - Norwegian Friendship Development - Norwegian recruiting office in Manila

NIS - Norsk Internasjonalt Skipsregister (Bergen) - Norwegian International Ship Register.

NK - Nippon Kaiji Kyokai - Japanese classification society.

NMB - Norsk Maritimt Befalskartell - (see FENSO)

NMU - National Maritime Union , USA

NOKUS - Special taxation scheme for Norwegian-controlled companies in low-tax countries.

NOPEF - Norsk Olje- og Petrokjemisk Fagforbund, Stavanger - Norwegian trade union for oil industry workers.

NOR - Skipsregisteret, Bergen . Often termed Norsk Ordinært Register - the Norwegian Ordinary Ship Register.

NORDKOMPASS - Nordisk Komité for Passasjerskip - Nordic forum for passengership and ferry companies and shipowners' associations.

NR - Norges Rederiforbund (Oslo) - Norwegian Shipowners' Association (NSA).

NS - Norsk Styrmandsforening - Norwegian association for ships' mates

NSA - see NR

NSF - Norsk Sjømannsforbund - Norwegian Seafarers' Union, (also Norsk Skipsførerforbund - Norwegian Association of Master Mariners)

NSOAF - North Sea Offshore Authority Forum.

NSU - National Seafarers' Union , Sri Lanka

NTC - Norwegian Training Center (Manila).

NUMAST - British trade union for officers and crew

NUS -National Union of Seamen - British seamen's union.

NUSI - National Union of Seamen of India

NV - see DNV

O

OAPEC - Organization of Arab Petroleum Exporting Countries

OAU - Organisation of African Unity

OCIMF - Oil Companies' International Marine Forum (London)

OECD - Organization for Economic Co-operation and Development - 25 member countries

OFS - Oljearbeidernes Fellessammenslutning, Stavanger - Norwegian federation of trade unions in the oil industry

OFU - Offshorenæringens Forhandlingsutvalg - negotiating committee for the offshore industry.

OLF - Oljeindustriens Landsforening, Stavanger - Federation of oil industry employers.

OPA - Oil Pollution Act , USA .

OPEC - Organization of Petroleum Exporting Countries (Vienna)

OSSL - Oljeserviceselskapenes Landsforening - The Association of Norwegian Oil Industry Service Companies

OSV - Offshore Support Vessel

P

PBOS - NATO Planning Board for Ocean Shipping (Brussels)

P&I - Protection and Indemnity Insurance

PMOU - Paris Memorandum of Understanding - European port-state control

POEA - Philippine Overseas Employment Administration (Manila)

PR - Polish classification society.

PSU - Polish Seafarers' Union (formerly S-FUF or MR)

PSV - Platform Supply Vessel.

R

RAS - Radio Advisory Service (UK)

RI - Registro Italiano - Italian classification society.

RLF - Rederienes Landsforening, Norway - Association of Norwegian short-sea shipowners

ROV - Remote Operated Vehicle

RS - the former Soviet classification society.

S

SADCC - South African cooperation forum

SAFTA - South American Free Trade Association

SEATO - South-East Asian Treaty Organization - defence alliance

SFT - Statens Forurensningstilsyn - Norwegian Pollution Authority.

SIGGTO - Society of International Gas Tankers and Terminal Operators

SIRE - Ship Inspection Report Programme

SIU - Seafarers' International Union , USA

SIØS - Senter for Internasjonal Økonomi og Skipsfart ved Norges Handelshøyskole i Bergen - Norwegian center for maritime economics (Bergen)

SOLAS - Convention on Safety of Life at Sea (IMO, London)

SRF - Sveriges Redareförening, Gothenburg - Swedish Shipowners' Association

STCW - International Convention on Standards of Training, Certification and Watchkeeping (IMO, London)

STUFT - Ships Taken Up From Trade - merchant vessels chartered by the military.

SUNAMAM - Brazilian shipping organization representing the authorities.

SUR Seafarers' Union of Russia , Moscow

T

TAFTA - Discussions between USA and the EU concerning a Transatlantic Free Trade Area

TIR - Transport Internationale Routier - International customs' convention.

TOVALOP - Tanker Owners' Voluntary Agreement Concerning Liability for Oil Pollution (London).

TUAC - Trade Union Advisory Committee - advisory committee representing employees in the OECD.

U

UGT - Union General de Trabajadores - Spanish TUC

UNCITRAL - UN Commission on International Trade and Law

UNCLOS - United Nations Conference on the Law of the Sea

UNCTAD - United Nations Conference on Trade and Development (Genève)

UNIDO - United Nations Industrial Development Organization

USCG - U.S. Coast Guard

USMC - US Maritime Commission

V

VDR - Verband Deutscher Reeder - German shipowners' association

VTS - Vessel Traffic System

W

WFTU - World Federation of Trade Unions

WPC - World Petroleum Congress

WTO - World Trade Organization